

STATE OF COLORADO

COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
AIR POLLUTION CONTROL DIVISION
TELEPHONE: (303) 692-3150



CONSTRUCTION PERMIT

COPY

PERMIT NO: **12BO1935**

DATE ISSUED: **JAN 24 2013**

ISSUED TO: **American Honda Motor Co., Inc.**

Initial Approval

THE SOURCE TO WHICH THIS PERMIT APPLIES IS DESCRIBED AND LOCATED AS FOLLOWS:

Data center facility, known as the Honda Data Center, located at 2501 Clover Basin Drive, Longmont, in Boulder County, Colorado.

THE SPECIFIC EQUIPMENT OR ACTIVITY SUBJECT TO THIS PERMIT INCLUDES THE FOLLOWING:

Facility Equipment ID	AIRS Point	Description
Standby Generator No. 2	001	Diesel fueled engine powering an electrical generator Cummins, Model: QSK60-G6 NR2, SN: 33168335 Design rated at 2,922 BHP at sea level, 2,530 BHP site rated Equipped with a turbocharger 3.75 L/cyl Manufacture date of 3/28/07, Engine was in Colorado 3/25/10 This engine is subject to NSPS IIII Tier 2 Standards

THIS PERMIT IS GRANTED SUBJECT TO ALL RULES AND REGULATIONS OF THE COLORADO AIR QUALITY CONTROL COMMISSION AND THE COLORADO AIR POLLUTION PREVENTION AND CONTROL ACT C.R.S. (25-7-101 et seq), TO THOSE GENERAL TERMS AND CONDITIONS INCLUDED IN THIS DOCUMENT AND THE FOLLOWING SPECIFIC TERMS AND CONDITIONS:

REQUIREMENTS TO SELF-CERTIFY FOR FINAL APPROVAL

1. **YOU MUST** notify the Air Pollution Control Division (the Division) no later than fifteen days after commencement of the permitted operation or activity by submitting a Notice of Startup form to the Division. The Notice of Startup form may be downloaded online at www.cdphe.state.co.us/ap/downloadforms.html. Failure to notify the Division of startup of the permitted source is a violation of Air Quality Control Commission (AQCC) Regulation No. 3, Part B, Section III.G.1 and can result in the revocation of the permit.
2. Within one hundred and eighty days (180) after commencement of operation, compliance with the conditions contained on this permit shall be demonstrated to the Division. It is the permittee's responsibility to self certify compliance with the conditions. Failure to demonstrate compliance within 180 days may result in revocation of the permit or enforcement action by the

Division. Information on how to certify compliance was mailed with the permit or can be obtained from the Division. (Reference: Regulation No. 3, Part B, II.G.2)

3. This permit shall expire if the owner or operator of the source for which this permit was issued:
(i) does not commence construction/modification or operation of this source within 18 months after either, the date of issuance of this construction permit or the date on which such construction or activity was scheduled to commence as set forth in the permit application associated with this permit; (ii) discontinues construction for a period of eighteen months or more; (iii) does not complete construction within a reasonable time of the estimated completion date. The Division may grant extensions of the deadline per Regulation No. 3, Part B, III.F.4.b. (Reference: Regulation No. 3, Part B, III.F.4.)
4. Within one hundred and eighty days (180) after commencement of operation, the operator shall complete all initial compliance testing and sampling as required in this permit and submit the results to the Division as part of the self-certification process. (Reference: Regulation No. 3, Part B, Section III.E.)
5. Within one hundred and eighty days (180) after commencement of operation, the permit number shall be marked on the subject equipment for ease of identification. (Reference: Regulation No. 3, Part B, III.E.) (State only enforceable)

EMISSION LIMITATIONS AND RECORDS

6. The source has obtained a construction permit for this unit due to subjectivity to another regulatory requirement. Because emissions of air pollutants are below permitting thresholds, the source is not required to meet an emission limitation or keep records of emission calculations. However, the source shall comply with all other requirements in this permit, including but not limited to those in the Process Limitations and Records section of this permit. (Regulation No. 3, Part B, Section II.D.)

PROCESS LIMITATIONS AND RECORDS

7. This source shall be limited to the following maximum consumption, processing and/or operational rates as listed below. Annual records of the actual process rate shall be maintained by the applicant and made available to the Division for inspection upon request. (Reference: Regulation 3, Part B, II.A.4)

Process/Consumption Limits

Facility Equipment ID	AIRS Point	Process Parameter	Annual Limit
Standby Generator No. 2	001	Hours of Operation	40 hr/yr

Compliance with these consumption limits will be demonstrated by installing a non-resettable hour meter on the engine and recording the hours of the engine's operation.

STATE AND FEDERAL REGULATORY REQUIREMENTS

8. Visible emissions shall not exceed twenty percent (20%) opacity during normal operation of the source. During periods of startup, process modification, or adjustment of control equipment visible emissions shall not exceed 30% opacity for more than six minutes in any sixty consecutive minutes. Opacity shall be determined using EPA Method 9. (Reference: Regulation No. 1, Section II.A.1. & 4.)
9. This source is subject to the odor requirements of Regulation No. 2. (State only enforceable)
10. This source is subject to the New Source Performance Standards requirements of Regulation No. 6, Part A, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines (CI ICE) including, but not limited to, the following:
 - a. Emissions of Non-Methane Hydrocarbons and Nitrogen Oxides combined shall not exceed 4.8 grams per horsepower hour.
 - b. Emissions of Carbon Monoxide shall not exceed 2.6 grams per horsepower hour.
 - c. Emissions of Particulate Matter shall not exceed 0.15 grams per horsepower hour.
 - d. All fuel purchased shall meet the following specifications:
 - (1) Sulfur content shall not exceed 15 ppm.
 - (2) Have a minimum cetane index of 40 **or**
Have a maximum aromatic compound content of 35% by volume.
Compliance shall be demonstrated by maintaining copies of the fuel specifications provided by the supplier on-site or in a readily accessible location and made available to the Division for inspection upon request.
 - e. All engines and control devices must be installed, configured, operated, and maintained according to the specifications and instructions provided by the engine manufacturer.
 - f. If engine is equipped with a diesel particulate filter, the filter must be installed with a backpressure monitor that notifies the owner or operator when the high backpressure limit of the engine is approached. Records shall be kept of any corrective action taken after the backpressure monitor has notified the owner or operator that the high backpressure limit is approached.
 - g. If engine is used for emergency purposes, a non-resettable hour meter must be installed prior to start-up. (Reference: NSPS IIII, § 60.4209 (a))
11. The following requirements of Regulation No. 6, Part A, Subpart A, General Provisions, apply.
 - a. At all times, including periods of start-up, shutdown, and malfunction, the facility and control equipment shall, to the extent practicable, be maintained and operated in a manner consistent with good air pollution control practices for minimizing emissions. Determination of whether or not acceptable operating and maintenance procedures are being used will be based on information available to the Division, which may include, but

is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source. (Reference: Regulation No. 6, Part A. General Provisions from 40 CFR 60.11

- b. No article, machine, equipment or process shall be used to conceal an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere. (§ 60.12)
 - c. Written notification of construction and initial startup dates shall be submitted to the Division as required under § 60.7.
 - d. Records of startups, shutdowns, and malfunctions shall be maintained, as required under § 60.7.
12. This source is located in an ozone non-attainment or attainment-maintenance area and subject to the Reasonably Available Control Technology (RACT) requirements of Regulation Number 3, Part B, III.D.2.b. The requirements of condition numbers 11 and 12 above were determined to be RACT for this source.

OPERATING & MAINTENANCE REQUIREMENTS

13. This source is not required to follow a Division-approved operating and maintenance plan. The operating and maintenance plan provided by the manufacturer shall be followed for this source.

COMPLIANCE TESTING AND SAMPLING

Initial Testing Requirements

14. Within 180 days of startup, the owner or operator shall demonstrate compliance with Condition 9, using EPA Method 9 to measure opacity from the engine. This measurement shall consist of a minimum twenty-four consecutive readings taken at fifteen second intervals over a 6 minute period. (Reference: Regulation No. 1, Section II.A.1 & 4)

Periodic Testing Requirements

15. No periodic testing is required for this source.

ADDITIONAL REQUIREMENTS

16. The permit number shall be marked on the subject equipment for ease of identification. (Reference: Regulation No. 3, Part B, III.E.) (State only enforceable)
17. A revised Air Pollutant Emission Notice (APEN) shall be filed: (Reference: Regulation No. 3, Part A, II.C)
- a. Annually whenever a significant increase in emissions occurs as follows:

For any criteria pollutant:

For sources emitting **less than 100 tons per year of a criteria pollutant**, a change in annual actual emissions of five (5) tons per year or more, above the level reported on the last APEN; or

For volatile organic compounds (VOC) and nitrogen oxides sources (NO_x) in ozone nonattainment areas emitting **less than one hundred tons of VOC or NO_x per year**, a change in annual actual emissions of one (1) ton per year or more or five percent, whichever is greater, above the level reported on the last APEN; or

For sources emitting **100 tons per year or more of a criteria pollutant**, a change in annual actual emissions of five percent or fifty (50) tons per year or more, whichever is less, above the level reported on the last APEN submitted; or

For sources emitting **any amount of lead**, a change in actual emissions of fifty (50) pounds of lead above the level reported on the last APEN submitted.

For any non-criteria reportable pollutant:

If the emissions increase by 50% or five (5) tons per year, whichever is less, above the level reported on the last APEN submitted to the Division.


- b. Whenever there is a change in the owner or operator of any facility, process, or activity; or
- c. Whenever new control equipment is installed, or whenever a different type of control equipment replaces an existing type of control equipment; or
- d. Whenever a permit limitation must be modified; or
- e. No later than 30 days before the existing APEN expires.

GENERAL TERMS AND CONDITIONS:


- 18. This permit and any attachments must be retained and made available for inspection upon request. The permit may be reissued to a new owner by the Division as provided in Regulation No. 3, Part B, Section II.B upon a request for transfer of ownership and the submittal of a revised APEN and the required fee.
- 19. If this permit specifically states that final approval has been granted, then the remainder of this condition is not applicable. Otherwise, the issuance of this construction permit does not provide "final" authority for this activity or operation of this source. Final approval of the permit must be secured from the Division in writing in accordance with the provisions of 25-7-114.5(12)(a) C.R.S. and Regulation No. 3, Part B, Section III.G. Final approval cannot be granted until the operation or activity commences and has been verified by the Division as conforming in all respects with the conditions of the permit. Once self-certification of all points has been reviewed and approved by the Division, it will provide written documentation of such final approval. **Details for obtaining final approval to operate are located in the Requirements to Self-Certify for Final Approval section of this permit.**
- 20. This permit is issued in reliance upon the accuracy and completeness of information supplied by the applicant and is conditioned upon conduct of the activity, or construction, installation and operation of the source, in accordance with this information and with representations made by the applicant or applicant's agents. It is valid only for the equipment and operations or activity specifically identified on the permit.

21. Unless specifically stated otherwise, the general and specific conditions contained in this permit have been determined by the Division to be necessary to assure compliance with the provisions of Section 25-7-114.5(7)(a), C.R.S.
22. Each and every condition of this permit is a material part hereof and is not severable. Any challenge to or appeal of a condition hereof shall constitute a rejection of the entire permit and upon such occurrence, this permit shall be deemed denied *ab initio*. This permit may be revoked at any time prior to self-certification and final authorization by the Division on grounds set forth in the Colorado Air Pollution Prevention and Control Act and regulations of the AQCC including failure to meet any express term or condition of the permit. If the Division denies a permit, conditions imposed upon a permit are contested by the applicant, or if the Division revokes a permit, the applicant or owner or operator of a source may request a hearing before the AQCC for review of the Division's action.
23. Section 25-7-114.7(2)(a), C.R.S. requires that all sources required to file an Air Pollution Emission Notice (APEN) must **pay an annual fee** to cover the costs of inspections and administration. If a source or activity is to be discontinued, the owner must notify the Division in writing requesting a cancellation of the permit. Upon notification, annual fee billing will terminate.
24. Violation of the terms of a permit or of the provisions of the Colorado Air Pollution Prevention and Control Act or the regulations of the AQCC may result in administrative, civil and/or criminal enforcement actions under Sections 25-7-115 (enforcement), -121 (injunctions), -122 (civil penalties), -122.1 (criminal penalties), C.R.S.

By:


K.C. Houlden
Permit Engineer

By:


R K Hancock III, P.E.
Construction Permits Unit Supervisor

Permit History

Issuance	Date	Description
Initial Approval	This Issuance	Issued to American Honda Motor Co., Inc.

Notes to Permit Holder (as of date of permit issuance):

- 1) The production or raw material processing limits and emission limits contained in this permit are based on the consumption rates requested in the permit application. These limits may be revised upon request of the permittee providing there is no exceedance of any specific emission control regulation or any ambient air quality standard. A revised air pollution emission notice (APEN) and application form must be submitted with a request for a permit revision.
- 2) This source is subject to the Common Provisions Regulation Part II, Subpart E, Affirmative Defense Provision for Excess Emissions During Malfunctions. The permittee shall notify the Division of any malfunction condition which causes a violation of any emission limit or limits stated in this permit as soon as possible, but no later than noon of the next working day, followed by written notice to the Division addressing all of the criteria set forth in Part II.E.1. of the Common Provisions Regulation. See: <http://www.cdph.state.co.us/regulations/airregs/5CCR1001-2.pdf>.
- 3) In accordance with C.R.S. 25-7-114.1, each Air Pollutant Emission Notice (APEN) associated with this permit is valid for a term of five years from the date it was received by the Division. A revised APEN shall be submitted no later than 30 days before the five-year term expires. Please refer to the most recent annual fee invoice to determine the APEN expiration date for each emissions point associated with this permit. For any questions regarding a specific expiration date call the Division at (303)-692-3150.
- 4) This facility is classified as follows:

Applicable Requirement	Status
Operating Permit	Minor Source
NANSR	Minor Source
PSD	Minor Source

- 5) This engine is subject to 40 CFR, Part 63, Subpart ZZZZ - **National Emission Standards for Hazardous Air Pollutants for Reciprocating Internal Combustion Engines (Federally enforceable only)**. A copy of the complete subpart is available on the EPA website at: <http://www.epa.gov/ttn/atw/rice/ricepg.html>. All initial notifications, compliance demonstrations, and required documentation should be submitted directly to U.S. EPA Region 8 and copies sent to the Colorado Air Pollution Control Division
- 6) Full text of the Title 40, Protection of Environment Electronic Code of Federal Regulations can be found at the website listed below:

<http://ecfr.gpoaccess.gov/>

Part 60: Standards of Performance for New Stationary Sources		
NSPS	60.4200-60.4219	Subpart IIII
Part 63: National Emission Standards for Hazardous Air Pollutants for Source Categories		
MACT	63.6580-63.6675	Subpart ZZZZ

- 7) Certification documentation of compliance with the NSPS IIII emission standards was received with the initial application.